


Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	"6240436".pn. and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 19:46
L2	1	"5189636".pn. and multiplexer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 19:46
S1	84	(one or single) near3 ((("2" or two) near n) or 2n) near bit with (perform\$3 calculat\$3 function operat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:37
S2	21	(one or single) near3 ((("2" or two) near n) or 2n) near bit with (perform\$3 calculat\$3 function operat\$3) same (two or "2") near3 ((("2" or two) near n) or 2n) near bit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:00
S3	293263	(control\$4 signal\$3) with (coupl\$3 connect\$3) same (control\$4 signal\$3) with (separat\$5 independent\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:47
S4	4	S3 and modular with exponent\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:46
S5	4	S3 and modular with exponent\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:46
S6	15	(control\$4 signal\$3 mode state) with (coupl\$3 connect\$3) same (control\$4 signal\$3 mode state) with (separat\$5 independent\$4)and modular with exponent\$6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 14:48

S7	110	(one or single) near3 (modular) with (perform\$3 calculat\$3 function operat\$3) same (two or "2") near3 (modular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:16
S8	0	S7 not ((one or single) near3 (modular multiplier) with (perform\$3 calculat\$3 function operat\$3) same (two or "2") near3 (modular multiplier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:21
S9	9	((("512") with (perform\$3 calculat\$3 function operat\$3) same ("1024") near3 (modular multiplier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:22
S10	21	((("512") with (perform\$3 calculat\$3 function operat\$3) same ("1024") with (modular multiplier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 16:12
S11	2	((("512") with (perform\$3 calculat\$3 function operat\$3) with (choos\$3 select\$3) same ("1024") with (modular multiplier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:26
S12	2	((("512") or ((n) near bit)) with (perform\$3 calculat\$3 function operat\$3) with (choos\$3 select\$3) same ("1024") with (modular multiplier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:28
S13	3164	((("512") or ((n) near bit)) with (perform\$3 calculat\$3 function operat\$3) with (choos\$3 select\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:28
S14	93	((("512") or ((n) near bit)) with (perform\$3 calculat\$3 function operat\$3) with (choos\$3 select\$3) with (modular multiplier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:49

S15	10	(perform\$3 calculat\$3 function operat\$3) with (choos\$3 select\$3) near2 (small\$4 size) near3 (modular multiplier)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:52
S16	16	(perform\$3 calculat\$3 function operat\$3) with (choos\$3 select\$3) near2 (small\$4 size) near3 (modular multiplier exponent\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:52
S17	6	S16 not S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:52
S18	124	(choos\$3 select\$3) near2 (small\$4 size) near3 (modular multiplier exponent\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:56
S19	2	(choos\$3 select\$3) near2 (small\$4 size) near3 (modular multiplier exponent\$6) and "380"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:57
S20	22	(choos\$3 select\$3) with (small\$4 size) with (modular multiplier exponent\$6) and "380"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 15:57
S21	1	((("512") near3 multiplier same ("1024") near3 multiplier with (modular multiplier))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 16:13
S22	1	((("512") near3 (multiplier exponentiator) same ("1024") near3 (multiplier exponentiator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 16:13

S23	2	((("512") near3 (multiplier exponentiator) and ("1024") near3 (multiplier exponentiator))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 16:47
S24	32	("4218582" "4707800" "4737926" "4914617" "5047975" "5189636" "5289397" "5327369" "5623683" "5870478" "6035317" "6061706" "6151393" "6209016" "6240436").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/18 19:45



The "AND" operator is unnecessary – we include all search terms by default. [\[details\]](#)

Web Results 1 - 10 of about 3,170,000 for **(choose select) and (small size) and (modular multiplier)** . (1.85

Selecting a PC Plug-In DMM

... accuracy, reliability, reasonable cost, and **small size**. ... In today's **modular** hardware and software environment, **choosing** the optimal hardware and ...
www.evaluationengineering.com/archive/articles/0205/0205selecting_aPC.asp - 22k - [Cached](#) - [Similar pages](#)

Sponsored Links

Modular Buildings

Low Cost **Modular** Buildings
 Huge Range - Fast Delivery
www.Faster-Results.com

[PS] Space/Time Trade-offs for Higher Radix **Modular** Multiplication ...

File Format: Adobe PostScript - [View as Text](#)

Abstract The value of using a higher radix for **modular multiplication** in the context ... It suffices to **choose** a pipelineable digit by digit **multiplier** with ...
www.comodogroup.com/research/crypto/CDW_IEEETC_97.ps - [Similar pages](#)

Algorithmic Arts Synth Layout for Synthesizers.com **Modular** Synth

A **small** popup will appear for you to **choose** cabinet **size**. ... **Module**: This is a list of the modules. **Select** one to create the **module**, as described above. ...
algoart.com/synthlayout.htm - 14k - [Cached](#) - [Similar pages](#)

[PDF] **Choosing** a **Small** Form Factor Connector

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Equipment interfaces have never driven connector **selection** for the cabling ... Due to its **small size**, the XFP transceiver requires SFF connectors, and ...
www.systimax.com/includes/viewer.asp?dest=/bp/secure/whitepapers/Choosing_Small_Form.pdf - [Similar pages](#)

PhatNotes Professional Edition

Efficiency - **small size** of the program and compressed database leaves plenty of ...
 Customizable Toolbars - **choose** from the **selection** of over 30 buttons. ...
www.phatware.com/phatnotes/hpcnotes3pro.html - 28k - Sep 16, 2005 - [Cached](#) - [Similar pages](#)

Russ Lenth's power and sample-size page

The "Balanced ANOVA" **selection** provides another dialog with a list of several ... Think about it: for a "medium" effect **size**, you'll **choose** the same n ...
www.stat.uiowa.edu/~rlenth/Power/ - 16k - [Cached](#) - [Similar pages](#)

Programmable Logic Controller, PLC Programming, PLC Direct, PLC ...

DirectLOGIC 205 **Modular** Programmable Logic Controller (DL205 PLC) ... The **small size** and low cost of the DL205 PLC products is desirable, but the operating ...
www.automationdirect.com/adcl/Overview/Catalog/PLC_Hardware/DirectLogic_205 - 114k - [Cached](#) - [Similar pages](#)

[PDF] Implementing the Nios II Processor in SOPC Builder, Nios II ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Nios II/s—The Nios II/s "standard" core is designed for **small size** ... debug **module** on the Nios II core. You can **select** the debug features ...
www.altera.com/literature/hb/nios2/n2cpu_nii51004.pdf - [Similar pages](#)

Developing Applications for the Palm-size PC with the Microsoft ...

Choose Palm-size PC as the project template in the New Project dialog box. ... Each form


has an associated **module** that contains the code entered for that ...
msdn.microsoft.com/library/ en-us/dncetkvb/html/pspcappvb.asp - 26k -
[Cached](#) - [Similar pages](#)

FAQ

... sequences in **multiple** file formats. Click here for a list of import types by **module**. ...
From the File Menu **choose** Get Info, **select** the Memory option, ...
www.dnastar.com/web/r16.php - 65k - [Cached](#) - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

(choose select) and (small size) [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)


[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [Hurricane Katrina Resources](#) - [About Google](#)

©2005 Google


[Home](#) | [Login](#) | [Logout](#) | [Access Information](#) | [Alerts](#) |

[Search Results](#)
[BROWSE](#)
[SEARCH](#)
[IEEE XPLORE GUIDE](#)

Results for "((1024 <in>metadata) <and> (multiplier<in>metadata))<and> (512<in>..."


 Your search matched **8** of **1235066** documents.

 A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

[View Session History](#)
[New Search](#)

Modify Search

(((1024 <in>metadata) <and> (multiplier<in>metadata))<and> (512<in>metadata


☐ Check to search only within this results set

 Display Format: ☒ Citation ☐ Citation & Abstract

» Key



Indicates full text access

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

- ☐ **1. The Chinese Remainder Theorem and its application in a high-speed RSA**
 Grossschadl, J.;
 Computer Security Applications, 2000. ACSAC '00. 16th Annual Conference
 11-15 Dec. 2000 Page(s):384 - 393
 Digital Object Identifier 10.1109/ACSAC.2000.898893
[Abstract](#) | Full Text: [PDF](#)(660 KB) **IEEE CNF**
- ☐ **2. Modified Montgomery modular multiplication and RSA exponentiation tec**
 McIvor, C.; McLoone, M.; McCanny, J.V.;
 Computers and Digital Techniques, IEE Proceedings-
 Volume 151, Issue 6, 18 Nov. 2004 Page(s):402 - 408
 Digital Object Identifier 10.1049/ip-cdt:20040791
[Abstract](#) | Full Text: [PDF](#)(308 KB) **IEE JNL**
- ☐ **3. Fast Montgomery modular multiplication and RSA cryptographic process**
 McIvor, C.; McLoone, M.; McCanny, J.V.;
 Signals, Systems and Computers, 2003. Conference Record of the Thirty-Seve
 Conference on
 Volume 1, 9-12 Nov. 2003 Page(s):379 - 384 Vol.1
 Digital Object Identifier 10.1109/ACSSC.2003.1291939
[Abstract](#) | Full Text: [PDF](#)(575 KB) **IEEE CNF**
- ☐ **4. Single-board digital signal processor**
 Eldon, J.; Robertson, C.;
 Acoustics, Speech, and Signal Processing, IEEE International Conference on I
 Volume 6, Apr 1981 Page(s):662 - 665
[Abstract](#) | Full Text: [PDF](#)(85 KB) **IEEE CNF**
- ☐ **5. Advanced single-chip signal processor**
 Nishitani, T.; Kuroda, I.; Kawakami, Y.; Tanaka, H.; Nukiyama, T.;
 Acoustics, Speech, and Signal Processing, IEEE International Conference on I
 Volume 11, Apr 1986 Page(s):409 - 412
[Abstract](#) | Full Text: [PDF](#)(128 KB) **IEEE CNF**
- ☐ **6. A 40 mm² 3 V 50 MHz 64 Mb 4-level cell NOR-type flash memory**
 Campardo, G.; Micheloni, R.; Commodaro, S.; Yero, E.; Zammabio, M.; Mognc
 Picca, M.; Manstleita, A.; Scotti, M.; Motta, I.; Golla, C.; Pierin, A.; Ohba, A.; Fu

Makabe, R.; Kawai, S.; Kai, Y.; Shimizu, S.; Ohnakado, T.; Sugihara, I.; Bez, R.
Modelli, A.; Khouri, P.O.; Torelli, G.;
Solid-State Circuits Conference, 2000. Digest of Technical Papers. ISSCC. 2000
International
7-9 Feb. 2000 Page(s):274 - 275, 464
Digital Object Identifier 10.1109/ISSCC.2000.839782

[Abstract](#) | Full Text: [PDF](#)(282 KB) [IEEE CNF](#)

- ☐ **7. Design and VLSI implementation of MPEG audio decoder**
Tsung-Han Tsai; Thou-Ho Chen; Liang-Gee Chen;
VLSI Technology, Systems, and Applications, 1995. Proceedings of Technical
International Symposium on
31 May-2 June 1995 Page(s):206 - 210
Digital Object Identifier 10.1109/VTSA.1995.524664
[Abstract](#) | Full Text: [PDF](#)(256 KB) [IEEE CNF](#)
- ☐ **8. On the construction of very large integer multipliers**
Hotz, G.; Molitor, P.; Zimmer, W.;
Euro ASIC '91
27-31 May 1991 Page(s):266 - 269
Digital Object Identifier 10.1109/EUASIC.1991.212854
[Abstract](#) | Full Text: [PDF](#)(224 KB) [IEEE CNF](#)

[View Selected Items](#)

Indexed by
 Inspec®

[Help](#) [Contact Us](#) [Privacy & ;](#)

© Copyright 2005 IEEE -